

## Declaration of Performance EN14566-2008+A1-2009\_SBS\_01\_00\_EN

valid from lot no 909809 to lot no \*\*\*\*\*

SBS Drywall Screws (for mechanical fastening of gypsum plaster - type - boards)

Intended use or uses of the construction product according to EN 14566:2008+A1:2009	
Intended use	For the fixing of gypsum plasterboard, gypsum boards with fibrous reinforcement, products from secondary processing and suitable ancillary products to timber and metal, as appropriate, in building construction works.
Under AVCP System	4

Declared performances according to EN 14566:2008+A1:2009, Annex ZA	
Essential Characteristics	Performance
Reaction to fire (for exposed situations)	A1
Flexural strength (Bending behavior)	PASS


The above performances apply for the following article numbers:

Product	Article nr	Screw diameter [mm]	Screw length [mm]
SBS-FG	5220100	3.5	25
	5220101	3.5	35
	5220102	3.5	45
	5220112	3.9	25
	5220113	3.9	35
	5220114	3.9	45
	5220103	3.9	55
	5220104	4.2	65
	5220105	4.2	75
	5220106	4.2	90
SBS-GG	5220108	3.9	25
	5220115	3.9	35
	5220116	3.9	45
	5220109	4.2	55
	5220110	4.2	75
	5220111	4.2	90
SBS-HG	5220160	3.9	19
	5220159	3.9	22
	5220161	3.9	30
	5220164	3.9	39
	5220162	3.9	45
	5220163	3.9	55
SBS-TE	5220140	3.5	25
	5220141	3.5	35
	5220142	3.5	45
	5220143	3.5	55
SBS-FK	5220171	4.2	35
SBS-ZK	5220151	4.2	13
SBS-GS	5220121	5.5	38
	5220122	5.5	60

The performances of the product identified by the above identification code are in conformity with the declared performance.

This declaration of performance is issued under the sole responsibility of Mungo AG.

Signed for and on behalf of the manufacturer by:

Name and functions	Place and date of issue	Signature
Hans-Peter Brosi Head of Quality Management & Purchasing	Olten, 04.06.2013	

**Further information:**

Liability for printing errors is excluded. The full content of the corresponding ETA has to be observed.